

SECTION 04085

MASONRY ANCHORS AND ACCESSORIES

PART 1 GENERAL

1.1 SECTION INCLUDES

\*\*\*\*\*  
NOTE: Delete items below not required for project.  
\*\*\*\*\*

- A. Masonry veneer anchors and ties.
- B. Masonry accessories.

1.2 RELATED SECTIONS

- A. Section 04810 - Unit Masonry Assemblies.
- B. Section 04851 - Cut Stone Veneer.
- C. Section 04852 - Stone Masonry Veneer.

1.3 REFERENCES

- A. ASCE/ACI 530.-05 - Specifications for Masonry Structures; 2005.

1.4 SUBMITTALS

- A. Submit under provisions of Section 01300.
- B. Product Data: Manufacturer's data on each type of product furnished.

PART 2 PRODUCTS

2.1 MANUFACTURERS

Acceptable Manufacturer: Heckmann Building Products Inc.,  
1501 N. 31<sup>st</sup> Avenue, Melrose Park, IL 60160  
800-621-4140 or 708-865-2403 FAX: 708-865-2640  
Email: [info@heckmannanchors.com](mailto:info@heckmannanchors.com)  
Website: [www.heckmannanchors.com](http://www.heckmannanchors.com)

\*\*\*\*\*  
NOTE: Delete paragraph below; coordinate with Division 1 requirements.  
\*\*\*\*\*

- A. Requests for substitutions will be considered in accordance with provisions of Section 01600.

B. Substitutions: Not permitted.

## 2.2 APPLICATIONS

A. Provide anchoring systems that comply with ACI 530.5/ASCE 6/TMS 602.

## 2.3 MATERIALS

A. Masonry Anchors for intersecting perpendicular walls:

**No. 272 Z-TYPE RIGID STEEL ANCHOR** ¼" (6.35 mm) x 1 ½" (38 mm) x 24" (610 mm) with 2" (51 mm) Bends.

B. Steel Types

1. Hot-Dip Galvanized Steel: Hot-dip galvanized after fabrication in accordance with ASTM A 153/A 153M, Class B-2.

## PART 3 EXECUTION

### 3.1 INSTALLATION

A. Install as specified in applicable masonry section(s).

END OF SECTION