

1050 Termination Bar

SECTION 04 00 00 MASONRY
Section 04 05 23 Masonry Accessories
Section 07 62 00 Sheet Metal Flashing and Trim

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. Stainless Steel AISI [Type 304] [or] [Type 316]

C. ASTM A240/A240M-15b Standard Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Application.

D. ASTM A666-15 Standard Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar.

2.3 MATERIALS

NO. 1050 TERMINATION BAR

A. Standards

1050P8125 – 1/8" x 1" wide x 8ft - plastic

1050A140 – 14 gage x 1" wide x 8ft Aluminum - no lip

1050A148 - 14 gage x 1" x 8ft Aluminum - with lip

1050S8125 - 1/8" x 1" wide x 8ft Stainless - no lip

1050S826 - 26 gage x 1-1/2" wide x 8ft - with lip

B. Specials

[thickness] x [width] x [length] x [hole diameter] x [hole spacing oc] x hole
to start [inches] from end.

C. Materials: [Stainless Steel]

PART 3: EXECUTION

A. Install as specified in applicable Masonry/Sheet Metal Flashing section(s).