

#355267 Plastic Mesh Wall Tie

SECTION 04 00 00 MASONRY
Section 04 05 19.16 Masonry Anchors

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. ASTM D4034 – 09(2017) Standard Test Method for Breakikng Strength and Elongation of Textile Fabrics (Grab Test)

2.3 MATERIALS

A. NO. 267 PLASTIC MESH WALL TIE

¼" x ¼" monofilament polypropylene mesh for [Block size: [4"] [6"] [8"] [10"] [12"]

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).

- B. Cut to desired length for placement between CMU to prevent grout from falling through the core.