

#277 Wire Precast Anchor

Section 03 45 13 Faced Architectural Precast Concrete
SECTION 04 00 00 MASONRY
Section 04 05 19.29 Stone Anchors

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. Stainless Steel AISI [Type 304] [or] [Type 316]

C. ASTM A580/A580M-15 Standard Specification for Stainless Steel Wire

2.3 MATERIALS

NO. 277 WIRE PRECAST ANCHOR

[3/16" Diameter] [2" wide base] [2" deep] [1" bends at 45° into cavity]

Materials: [Stainless Steel]

PART 3: EXECUTION

- A. Install as specified in applicable concrete section(s).
- B. Slide precast panels onto 45° bends for attachment to backup wall