

#315-D Screw-On Anchor Plate  
(See #316 Triangle Wire Tie for veneer tie)

SECTION 04 00 00 MASONRY  
Section 04 05 19.16 Masonry Anchors  
Section 04 05 23 Masonry Accessories

## **PART 1: GENERAL**

### 1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

### 1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

## **PART 2: MANUFACTURER**

### 2.1 MANUFACTURER

Heckmann Building Products  
110 Richards Ave.  
Norwalk, CT 06854-1685  
800-621-4140  
Email: [info@heckmannanchors.com](mailto:info@heckmannanchors.com)  
Website: [www.heckmannanchors.com](http://www.heckmannanchors.com)

### 2.2 APPLICATIONS

- A. Provide anchoring systems that comply with TMS 402/602-22 Building Code Requirements and Specification for Masonry Structures 2022.
- B. ASTM A1008/A1008M-24 Sheet Metal Anchors and Ties (Plain Steel).
- C. ASTM A153/A153M-16a Standard Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware.
- D. Stainless Steel AISI [Type 304] or [Type 316].
  - 1) ASTM A240/A240M-24b Standard Specification for Chromium and Chromium Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications.
  - 2) ASTM A666/666M-24 Standard Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar.

- 3) ASTM A276/A276M-24a Standard Specification for Stainless Steel Bars and Shapes.

## 2.3 MATERIALS

### **NO. 315-D SCREW-ON ANCHOR PLATE**

[[12 gage][14 gage]] x 1-1/4" wide x 5-1/2" long with 1/4" diameter holes

Materials: [Hotdip Galvanized After Fabrication] [Type 304 Stainless Steel]

## **PART 3: EXECUTION**

- A. Install as specified in applicable masonry section(s).