

#315 Weld-On Anchor Rod

SECTION 04 00 00 MASONRY
Section 05 12 00 Structural Steel Framing
Section 04 05 19.16 Masonry Anchors

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. ASTM A1008/A1008M Sheet Metal Anchors and Ties (Plain Steel)

C. ASTM A641/641M-09a (2014) Standard Specification for Zinc-Coated (Mill Galvanized) Carbon Steel Wire.

2.3 MATERIALS

NO. 315 WELD-ON ANCHOR ROD

¼" diameter x [5" long] [9" long]

Materials:[Plain Steel] [Mill Galvanized]

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).